Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 172

5 January to 5 February 1984

ACADEMIC PRESS
London New York San Francisco

Copyright © 1984, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 172

Number 1, 5 January 1984

Moses, P. B. and Model, P., A Rho-Dependent Transcription Termination Signal in Bacteriophage f1 1

Persechini, A. and Rowe, A. J., Modulation of Myosin Filament Conformation by Physiological Levels of Divalent Cation . . . 23

Lin, F.-L., Boublik, M. and Ofengand, J., Immunoelectron Microscopic Localization of the S19 Site on the 30 S Ribosomal Subunit Which is Crosslinked to A Site Bound Transfer RNA 41

Hsu, L. M., Lin, F.-L., Nurse, K. and Ofengand, J., Covalent Crosslinking of *Escherichia coli* Phenylalanyl-tRNA and Valyl-tRNA to the Ribosomal A Site *via* Photoaffinity Probes Attached to the 4-Thiouridine Residue 57

Lin, F.-L., Kahan, L. and Ofengand, J., Crosslinking of Phenylalanyl-tRNA to the Ribosomal A Site *via* a Photoaffinity Probe Attached to the 4-Thiouridine Residue is Exclusively to Ribosomal Protein S19 . 77

Bayne, M. L., Alexander, R. F. and Benbow, R. M., DNA Binding Protein from Ovaries of the Frog, *Xenopus laevis* which Promotes Concatenation of Linear DNA 87

Higuchi, Y., Kusunoki, M., Matsura, Y., Yasuoka, N. and Kakudo, M., Refined Structure of Cytochrome c_3 at 1·8 Å Resolution . . . 109

Letter to the Editor

Vandekerckhove, J., Lal, A. A. and Korn, E. D., Amino Acid Sequence of *Acanthamoeba* Actin 141

Number 2, 15 January 1984

Pagès, M. J. M. and Roizès, G. P., Nature and Organization of the Sequence Variations in the Long-range Periodicity Calf Satellite DNA I 143

Alexander, F., Young, P. R. and Tilghman, S. M., Evolution of the Albumin:α-Fetoprotein Ancestral Gene from the Amplification of a 27 Nucleotide Sequence 159

Appendix: Young, P. R. and Litwin, S., Determination of the Likelihood of Repetitive Sequences in the α-Fetoprotein Gene . 174

Wu, T.-H., Wood, D. L., Stein, P. L. and Comer, M. M., Transcription of a Gene Cluster Coding for Two Aminoacyl-tRNA Synthetases and an Initiation Factor in *Escherichia coli* 177

FULFORD, W. and MODEL, P., Specificity of Translational Regulation by Two DNA-binding Proteins 211

RICHTER, J. D., SMITH, L. D., ANDERSON, D. M. and DAVIDSON, E. H., Interspersed Poly(A) RNAs of Amphibian Oocytes are not Translatable 227

VON HEIJNE, G., How Signal Sequences Maintain Cleavage Specificity. . 243

TAKEYA, M., KLIER, F. G. and FISHMAN, W. H., Molecular Dimensions of the SS and FF Phenotypes of Human Placental Alkaline Phosphatase. Rotary Shadowing and Negative Staining Electron Microscope Measurements 253

LETTER TO THE EDITOR

MOFFATT, B. A., DUNN, J. J. and STUDIER, F. W., Nucleotide Sequence of the Gene for Bacteriophage T7 RNA Polymerase . . . 265

ERRATUM 271

NUMBER 3, 25 JANUARY 1984

FRIED, M. G. and CROTHERS, D. M., Equilibrium Studies of the Cyclic AMP Receptor Protein–DNA Interaction 241

FRIED, M. G. and CROTHERS, D. M., Kinetics and Mechanism in the Reaction of Gene Regulatory Proteins with DNA 263

Appendix: 280

GROSS, G. A., GROSSMAN, A. D., LIEBKE, H., WALTER, W. and BURGESS, R. R., Effects of the Mutant Sigma Allele *rpoD800* on the Synthesis of Specific Macromolecular Components of the *Escherichia coli* K12 Cell . 283

WATSON, N., GUREVITZ, M., FORD, J. and APIRION, D., Self Cleavage of a Precursor RNA from Bacteriophage T4 301

HOFMANN, H., VOSS, T., KÜHN, K. and ENGEL, J.,Localization of Flexible Sites in Thread-like Molecules from Electron Micrographs. Comparison of Interstitial, Basement Membrane and Intima Collagens . . . 325

LETTERS TO THE EDITOR

HERZBERG, O., HAYAKAWA, K. and JAMES, M. N. G., Crystallographic Data for Troponin C from Turkey Skeletal Muscle 345

FUJIYOSHI, Y., UYEDA, N., MORIKAWA, K. and YAMAGISHI, H., Electron Microscopy of tRNA Crystals. II. 4 Å Resolution Diffraction Pattern and Substantial Stability to Radiation Damage 347

XIAN-MING, Y., MUNSON, L. M. and REZNIKOFF, W. S., Molecular Cloning and Sequence Analysis of *trp-lac* Fusion Deletions . . 355

ANDERSSON, I. and BRÄNDÉN, C.-I., Large Single Crystals of Spinach 1,5-Bisphosphate Carboxylase/Oxygenase Suitable for X-ray Studies 363

ANNOUNCEMENT 367

NUMBER 4, 5 FEBRUARY 1984

AHLQUIST, P., DASGUPTA, R. and KAESBERG, P., Nucleotide Sequence of the Brome Mosaic Virus Genome and its Implications for Viral Replication 369

UDVARDY, A. and SCHEDL, P., Chromatin Organization of the 87A7 Heat Shock Locus of *Drosophila melanogaster* 385

PFAHL, M. and HENDRICKS, M., Interaction of Tight Binding Repressors with *lac* Operators. An Analysis by DNA-Footprinting 405

SHEFFERY, M., MARKS, P. A. and RIFKIND, R. A., Gene Expression in Murine Erythroleukemia Cells. Transcriptional Control and Chromatin Structure of the α_1-Globin Gene 417

SALDITT-GEORGIEFF, M., SHEFFERY, M., KRAUTER, K., DARNELL, J. E., JR, RIFKIND, R. and MARKS, P. A., Induced Transcription of the Mouse β-Globin Transcription Unit in Erythroleukemia Cells. Time-course of Induction and of Changes in Chromatin Structure 437

GAINES, G. and ATTARDI, G., Intercalating Drugs and Low Temperatures Inhibit Synthesis and Processing of Ribosomal RNA in Isolated Human Mitochondria 451

ABULAFIA, R., BEN-ZE'EV, A., HAY, N. and ALONI, Y., Control of Late Simian Virus 40 Transcription by the Attenuation Mechanism and Transcriptionally Active Ternary Complexes are Associated with the Nuclear Matrix 467

SHIH, M.-C. and GUSSIN, G. N., Role of *c*II Protein in Stimulating Transcription Initiation at the λP_{RE} Promoter. Enhanced Formation and Stabilization of Open Complexes 489

DOTTO, G. P., HORIUCHI, K. and ZINDER, N. D., The Functional Origin of Bacteriophage f1 DNA Replication. Its Signals and Domains . . 507

STRAUSS, H. and KING, J., Steps in the Stabilization of Newly Packaged DNA During Phage P22 Morphogenesis. 523

CHIANCONE, E., VECCHINI, P., VERZILI, D. and ASCOLI, F., Assembly of Erythrocruorin from the Earthworm *Octolasium complanatum* . . 545

GRONENBORN, A. M., CLORE, G. M. and JEFFERY, J., An Unusual Conformation of NAD^+ Bound to Sorbitol Dehydrogenase. A Time-dependent Transferred Nuclear Overhauser Effect Study . . . 559

LETTER TO THE EDITOR

FRIDEN, P., VOELKEL, K., STERNGLANZ, R. and FREUNDLICH, M., Reduced Expression of the Isoleucine and Valine Enzymes in Integration Host Factor Mutants of *Escherichia coli* 573

Index to Volume 172

Abulafia, R., Ben-Ze'ev, A., Hay, N. & Aloni, Y., Control of late simian virus 40 transcription by the attenuation mechanism and transcriptionally active ternary complexes are associated with the nuclear matrix, 467
Acanthamoeba actin, amino acid sequence, 141
Actin gene subtypes for the sea urchin. Gene number, linkage and evolution, 149
— in *Acanthamoeba*, amino acid sequence, 141
Adenovirus DNA binding protein, crystallization of a fragment, 237
Ahlquist, P., Dasgupta, R. & Kaesberg, P., Nucleotide sequence of the brome mosaic virus genome and its implications for viral replication, 369
Alexander, R. F. (see also Bayne, M. L.), 87
Aloni, Y. (see also Abulafia, R.), 467
Amino acid acceptor stem of lysine tRNA, nucleotide substitution causes missense suppression, 177
— — sequence of *Acanthamoeba* actin, 141
Andersson, I. & Brändén, C.-I., Large single crystals of spinach 1,5-biphosphate carboxylase/oxygenase suitable for X-ray studies, 363
Apirion, D. (see also Watson, N.), 301
Ascoli, F. (see also Chiancone, E.), 545
Assembly of erythrocruorin from the earthworm *Octolasium complanatum*, 545
Attardi, G. (see also Gaines, G.), 451

Bacteriophage f1 DNA replication, functional origin; signals and domains, 507
— —, a rho-dependent transcription termination signal, 1
— P22 morphogenesis, steps in the stabilization of newly packaged DNA, 523
— T4, self cleavage of a precursor RNA, 301
Bayne, M. L., Alexander, R. F. & Benbow, R. M., DNA binding protein from ovaries of the frog, *Xenopus laevis* which promotes concatenation of linear DNA, 87
Benbow, R. M. (see also Bayne, M. L.), 87
Ben-Ze'ev, A. (see also Abulafia, R.), 467
1,5-biphosphate carboxylase/oxygenase of spinach, large single crystals suitable for X-ray studies, 363
Boublik, M. (see also Lin, F.-L.), 41
Brändén, C.-I. (see also Andersson, I.), 363
Britten, R. J. (see also Lee, J. J.), 149
Brome mosaic virus (see also Virus), 369
Burgess, R. R. (see also Gross, G. A.), 283

cII protein, role in stimulating transcription initiation at the λP_{RE} promoter; enhanced formation and stabilization of open complexes, 489
Chiancone, E., Vecchini, P., Verzili, D. & Ascoli, F., Assembly of erythrocruorin from the earthworm *Octolasium complanatum*, 545
Chromatin organization of the 87A7 heat shock locus of *Drosophila melanogaster*, 385
— structure of the α_1-globin gene; expression in murine erythroleukemia cells, 417
—, time-course of changes in structure; induced transcription of the mouse β-globin transcription unit in erythroleukemia cells, 437
Cloning and sequence analysis of *trp-lac* fusion deletions, 355
Clore, G. M. (see also Gronenborn, A. M.), 559
Collagens, interstitial, basement membrane and intima, and the localization of flexible sites in thread-like molecules from electron micrographs, 325
Concatenation of linear DNA is promoted by DNA binding protein from ovaries of the frog *Xenopus laevis*, 87
Conformation of myosin filaments, modulation by physiological levels of divalent cation, 23
—, unusual, of NAD^+ bound to sorbitol dehydrogenase; a time-dependent transferred nuclear Overhauser effect study, 559
Conserved structural features are found upstream from the three co-ordinately regulated discoidin I genes of *Dictyostelium discoideum*, 203

Crosslinking of *Escherichia coli* phenylalanyl-tRNA and valyl-tRNA to the ribosomal A site *via* photoaffinity probes attached to the 4-thiouridine residue, 57
— — phenylalanyl-tRNA to the ribosomal A site *via* a photoaffinity probe attached to the 4-thiouridine residue is exclusively to ribosomal protein S19, 77
Crothers, D. M. (see also Fried, M. G.), 241, 263
Crystallization and preliminary crystallographic data of human platelet factor 4, 221
— of a fragment of the adenovirus DNA binding protein, 237
Crystallographic data for troponin C from turkey skeletal muscle, 345
Crystals, single, large, of spinach 1,5-biphosphate carboxylase/oxygenase suitable for X-rays, 363
—, tRNA, electron microscopy; 4 Å resolution diffraction pattern and substantial stability to radiation damage, 347
Cyclic AMP receptor protein–DNA interaction, equilibrium studies, 241
Cytochrome c_3, refined structure at 1·8 Å resolution, 109

Darnell, J. E., Jr (see also Salditt-Georgieff, M.), 437
Dasgupta, R. (see also Ahlquist, P.), 369
Davidson, E. H. (see also Lee, J. J.), 149
DNA binding protein from ovaries of the frog, *Xenopus laevis*, which promotes concatenation of linear DNA, 87
— — — of adenovirus, crystallization of a fragment, 237
—, equilibrium studies of interaction with cyclic AMP receptor protein, 241
—-footprinting analysis of interaction of tight binding repressors with *lac* operators, 405
—, newly packaged, steps in stabilization during phage P22 morphogenesis, 523
— photolyase of *Escherichia coli* is a flavoprotein, 223
—, reaction with gene regulatory proteins, kinetics and mechanism, 263
— replication for bacteriophage f1, functional origin; signals and domains, 507
— sequences, simple, of *Drosophila virilis* isolated by screening with RNA, 229
Dictyostelium discoideum, conserved structural features are found upstream from the three co-ordinately regulated discoidin I genes, 203
Discoidin I genes, co-ordinately regulated, of *Dictyostelium discoideum*, conserved structural features are found upstream, 203
Divalent cation physiological levels and the modulation of myosin filament conformation, 23
Dotto, G. P., Horiuchi, K. & Zinder, N. D., The functional origin of bacteriophage f1 DNA replication. Its signals and domains, 507
Drosophila melanogaster, chromatin organization of the 87A7 heat shock locus, 385
— *virilis*, simple DNA sequences isolated by screening with RNA, 229

Earthworm *Octolasium complanatum*, assembly of erythrocruorin, 545
87A7 heat shock locus of *Drosophila melanogaster*, chromatin organization, 385
Electron micrographs and the localization of flexible sites in thread-like molecules; comparison of interstitial, basement membrane and intima collagens, 325
— microscopy of tRNA crystals; 4 Å resolution diffraction pattern and substantial stability to radiation damage, 347
Engel, J. (see also Hofman, H.), 325
Equilibrium studies of the cyclic AMP receptor protein–DNA interaction, 241
Erythrocruorin assembly from the earthworm *Octolasium complanatum*, 545
Erythroleukemia cells, induced transcription of the mouse β-globin transcription unit; time-course of induction and of changes in chromatin structure, 437
— —, murine, gene expression; transcriptional control and chromatin structure of the α_1-globin gene, 417
Escherichia coli DNA photolyase is a flavoprotein, 223
— — K12 cell, effects of the mutant sigma allele *rpoD800* on the synthesis of specific macromolecular components, 283
— — phenylalanyl-tRNA, crosslinking to the ribosomal A site *via* a photoaffinity probe attached to the 4-thiouridine residue is exclusively to ribosomal protein S19, 77
— — — — and valyl-tRNA, covalent crosslinking to the ribosomal A site *via* photoaffinity probes attached to the 4-thiouridine residue, 57
— —, reduced expression of the isoleucine and valine enzymes in integration host factor mutants, 573
Evolution and sea urchin actin gene subtypes, 149
Expression of the Tn*10*-encoded tetracycline resistance operon; interaction of RNA polymerase and TET repressor with the *tet* operon regulatory region, 185

f1 (see also Bacteriophage), 1, 507
Firtel, R. A. (see also Poole, S. J.), 203
Flavoprotein: *Escherichia coli* DNA photolyase, 223
Flexible site localization in thread-like molecules from electron micrographs; comparison of interstitial, basement membrane and intima collagens, 325
Ford, J. (see also Watson, N.), 301
Freundlich, M. (see also Friden, P.), 573
Friden, P., Voelkel, K., Sternglanz, R. & Freundlich, M., Reduced expression of the isoleucine and valine enzymes in integration host factor mutants of *Escherichia coli*, 573
Fried, M. G. & Crothers, D. M., Equilibrium studies of the cyclic AMP receptor protein–DNA interaction, 241
— & —, Kinetics and mechanism in the reaction of gene regulatory proteins with DNA, 263
Fujiyoshi, Y., Uyeda, N., Morikawa, K. & Yamagishi, H., Electron microscopy of tRNA crystals. II. 4 Å resolution diffraction pattern and substantial stability to radiation damage, 347
Fusion *trp-lac* deletions, molecular cloning and sequence analysis, 355

Gaines, G. & Attardi, G., Intercalating drugs and low temperatures inhibit synthesis and processing of ribosomal RNA in isolated human mitochondria, 451
Gatz, C. (see also Hillen, W.), 185
Gene expression, SV40, role of nuclear matrix, 467
— — in murine erythroleukemia cells. Transcriptional control and chromatin structure of the α_1-globin gene, 417
— number, linkage and evolution for sea urchin actin gene subtypes, 149
— regulatory proteins, reaction with DNA, kinetics and mechanism, 263
Genes, discoidin I, of *Dictyostelium discoideum*, conserved structural features are found upstream, 203
Genome of brome mosaic virus, nucleotide sequence and its implications for viral replication, 369
α_1-Globin gene, transcriptional control and chromatin structure; gene expression in murine erythroleukemia cells, 417
β-Globin transcription unit, mouse, induced transcription in erythroleukemia cells; time-course of induction and of changes in chromatin structure, 437
Gronenborn, A. M., Clore, G. M. & Jeffery, J., An unusual conformation of NAD^+ bound to sorbitol dehydrogenase. A time-dependent transferred nuclear Overhauser effect study, 559
Gross, G. A., Grossman, A. D., Liebke, H., Walter, W. & Burgess, R. R., Effects of the mutant sigma allele *rpoD800* on the synthesis of specific macromolecular components of the *Escherichia coli* K12 cell, 283
Grossman, A. D. (see also Gross, G. A.), 283
Gurevitz, M. (see also Watson, N.), 301
Gussin, G. N. (see also Shih, M.-C.), 489

Hay, N. (see also Abulafia, R.), 467
Hayakawa, K. (see also Herzberg, O.), 345
Heat shock locus 87A7 of *Drosophila melanogaster*, chromatin organization, 385
Hendricks, M. (see also Pfahl, M.), 405
Herzberg, O., Hayakawa, K. & James, M. N. G., Crystallographic data for troponin C from turkey skeletal muscle, 345
Higuchi, Y., Kusunoki, M., Matsura, Y., Yasuoka, N. & Kakudo, M., Refined structure of cytochrome c_3 at 1·8 Å resolution, 109
Hillen, W., Schollmeier, K. & Gatz, C., Control of expression of the Tn*10*-encoded tetracycline resistance operon. II. Interaction of RNA polymerase and TET repressor with the *tet* operon regulatory region, 185
Hofmann, H., Voss, T., Kühn, K. & Engel, J., Localization of flexible sites in thread-like molecules from electron micrographs. Comparison of interstitial, basement membrane and intima collagens, 325
Horiuchi, K. (see also Dotto, G. P.), 507
Hsu, L. M., Lin, F.-L., Nurse, K. & Ofengand, J., Covalent crosslinking of *Escherichia coli* phenylalanyl-tRNA and valyl-tRNA to the ribosomal A site *via* photoaffinity probes attached to the 4-thiouridine residue, 57
Human mitochondria, isolated, intercalating drugs and low temperatures inhibit synthesis and processing of ribosomal RNA, 451
— platelet factor 4, crystallization and preliminary crystallographic data, 221

Immunoelectron microscopic localization of the S19 site on the 30 S ribosomal subunit which is crosslinked to A site bound tRNA, 41
Integration host factor mutants of *Escherichia coli*, reduced expression of the isoleucine and valine enzymes, 573
Intercalating drugs and low temperature inhibit synthesis and processing of ribosomal RNA in isolated human mitochondria, 451
Isaacs, N. W. (see also Machin, K. J.), 221
Isoleucine and valine enzymes, reduced expression in integration host factor mutants of *Escherichia coli*, 573

James, M. N. G. (see also Herzberg, O.), 345
Jeffery, J. (see also Gronenborn, A. M.), 559

Kaesberg, P. (see also Ahlquist, P.), 369
Kahan, L. (see also Lin, F.-L.), 77
Kakudo, M. (see also Higuchi, Y.), 109
Kinetics and mechanism in the reaction of gene regulatory proteins with DNA, 263
King, J. (see also Strauss, H.), 523
Korn, E. D. (see also Vandekerckhove, J.), 141
Krauter, K. (see also Salditt-Georgieff, M.), 437
Kühn, K. (see also Hofmann, H.), 325
Kusunoki, M. (see also Higuchi, Y.), 109

lac operators, interaction with tight binding repressors; an analysis by DNA-footprinting, 405
lac-trp fusion deletions, molecular cloning and sequence analysis, 355
Lal, A. A. (see also Vandekerckhove, J.), 141
λP_{RE} promoter, role of cII protein in stimulating transcription initiation; enhanced formation and stabilization of open complexes, 489
Lee, J. J., Shott, R. J., Rose, S. J. III, Thomas, T. L., Britten, R. J. & Davidson, E. H., Sea urchin actin gene subtypes. Gene number, linkage and evolution, 149
Liebke, H. (see also Gross, G. A.), 283
Lin, F.-L., Boublik, M. & Ofengand, J., Immunoelectron microscopic localization of the S19 site on the 30 S ribosomal subunit which is crosslinked to A site bound transfer RNA, 41
—, Kahan, L. & Ofengand, J., Crosslinking of phenylalanyl-tRNA to the ribosomal A site *via* a photoaffinity probe attached to the 4-thiouridine residue is exclusively to ribosomal protein S19, 77
— (see also Hsu, L. M.), 57
Lysine tRNA, nucleotide substitution in the amino acid acceptor stem causes missense suppression, 177

Machin, K. J. & Isaacs, N. W., Crystallization and preliminary crystallographic data of human platelet factor 4, 221
Macromolecular components of the *Escherichia coli* K12 cell, effects of the mutant sigma allele *rpoD800* on their synthesis, 283
Marks, P. A. (see also Salditt-Georgieff, M.), 437
— (see also Sheffery, M.), 417
Matsura, Y. (see also Higuchi, Y.), 109
Mims, B. H. (see also Prather, N. E.), 177
Missense suppression is caused by nucleotide substitution in the amino acid acceptor stem of lysine tRNA, 177
Mitochondria, human, isolated, intercalating drugs and low temperatures inhibit synthesis and processing of ribosomal RNA, 451
Model, P. (see also Moses, P. B.), 1
Modulation of myosin filament conformation by physiological levels of divalent cation, 23
Morikawa, K. (see also Fujiyoshi, Y.), 347
Morphogenesis, phage P22, steps in the stabilization of newly packaged DNA, 523
Moses, P. B. & Model, P., A rho-dependent transcription termination signal in bacteriophage f1, 1
Mouse β-globin transcription unit, induced transcription in erythroleukemia cells; time-course of induction and of changes in chromatin structure, 437
Munson, L. M. (see also Xian-Ming, Y.), 355
Murgola, E. J. (see also Prather, N. E.), 177

urine erythroleukemia cells, gene expression; transcriptional control and chromatin structure of the α_1-globin gene, 417
uscle, skeletal, of turkey, crystallographic data for troponin C, 345
utant sigma allele *rpoD800*, effects on the synthesis of specific macromolecular components of the *Escherichia coli* K12 cell, 283
utants, integration host factor, of *Escherichia coli*, reduced expression of the isoleucine and valine enzymes, 573
yosin filament conformation, modulation by physiological levels of divalent cation, 23

AD^+ bound to sorbitol dehydrogenase, an unusual conformation; a time-dependent transferred nuclear Overhauser effect study, 559
uclear matrix, role in controlling SV40 gene expression, 467
ucleotide sequence of the brome mosaic virus genome and its implications for viral replication, 369
- substitution in the amino acid acceptor stem of lysine tRNA causes missense suppression, 177
URSE, K. (see also HSU, L. M.), 57

ctolasium complanatum, assembly of erythrocruorin, 545
FENGAND, J. (see also HSU, L. M.), 57
- (see also LIN, F.-L.), 41, 77
varies of *Xenopus laevis*, DNA binding protein promotes concatenation of linear DNA, 87
verhauser effect study; an unusual conformation of NAD^+ bound to sorbitol dehydrogenase, 559

22 (see also Bacteriophage), 523
RE promoter of phage λ, role of *c*II protein in stimulating transcription initiation; enhanced formation and stabilization of open complexes, 489
ERSECHINI, A. & ROWE, A. J., Modulation of myosin filament conformation by physiological levels of divalent cation, 23
FAHL, M. & HENDRICKS, M., Interaction of tight binding repressors with *lac* operators. An analysis by DNA-footprinting, 405
henylalanyl-tRNA of *Escherichia coli*, crosslinking to the ribosomal A site *via* a photoaffinity probe attached to the 4-thiouridine residue is exclusively to the ribosomal protein S19, 77
—— and valyl-tRNA of *Escherichia coli*, covalent crosslinking to the ribosomal A site *via* photoaffinity probes attached to the 4-thiouridine residue, 57
hotoaffinity probe attached to the 4-thiouridine residue, and crosslinking of phenylalanyl-tRNA to the ribosomal A site; the crosslinking is exclusively to protein S19, 77
probes attached to the 4-thiouridine residue, and crosslinking of *Escherichia coli* phenylalanyl-tRNA and valyl-tRNA to the ribosomal A site, 57
hotolyase, DNA, *Escherichia coli*, is a flavoprotein, 223
atelet factor 4, human, crystallization and preliminary crystallographic data, 221
OOLE, S. J. & FIRTEL, R. A., Conserved structural features are found upstream from the three coordinately regulated discoidin I genes of *Dictyostelium discoideum*, 203
RATHER, N. E., MURGOLA, E. J. & MIMS, B. H., Nucleotide substitution in the amino acid acceptor stem of lysine transfer RNA causes missense suppression, 177
recursor RNA from bacteriophage T4, self cleavage, 301
rotein, DNA binding, from ovaries of the frog *Xenopus laevis* which promotes concatenation of linear DNA, 87
, —— —, of adenovirus, crystallization of a fragment, 237

adiation damage in electron microscopy of tRNA crystals, 347
eplication, DNA, for bacteriophage f1, the functional origin; signals and domains, 507
, viral, implications of the nucleotide sequence of the brome mosaic virus genome, 369
ENZ, M. (see also TAUTZ, D.), 229
EZNIKOFF, W. S. (see also XIAN-MING, Y.), 355
ho-dependent transcription termination signal in bacteriophage f1, 1
NA polymerase and TET repressor, interaction with the *tet* operon regulatory region, 185
, precursor, from bacteriophage T4, self cleavage, 301
, ribosomal, intercalating drugs and low temperatures inhibit synthesis and processing in isolated human mitochondria, 451
screening used to isolate simple DNA sequences of *Drosophila virilis*, 229
bosomal A site, covalent crosslinking of *Escherichia coli* phenylalanyl-tRNA and valyl-tRNA *via* photoaffinity probes attached to the 4-thiouridine residue, 57

— — —, crosslinking of phenylalanyl-tRNA *via* a photoaffinity probe attached to the 4-thiouridine residue is exclusively to ribosomal protein S19, 77
— RNA in isolated human mitochondria, intercalating drugs and low temperatures inhibit synthesis and processing, 451
— 30 S subunit, immunoelectron microscopic localization of the S19 site which is crosslinked to A site bound tRNA, 41
Rifkind, R. (see also Salditt-Georgieff, M.), 437
Rifkind, R. A. (see also Sheffery, M.), 417
Rose, S. J. III (see also Lee, J. J.), 149
Rowe, A. J. (see also Persechini, A.), 23
rpoD800 mutant sigma allele, effects on the synthesis of specific macromolecular components of the *Escherichia coli* K12 cell, 283

S19 protein and the crosslinking of phenylalanyl-tRNA to the ribosomal A site *via* a photoaffinity probe attached to the 4-thiouridine residue, 77
—-tRNA crosslink site on 30 S ribosomal subunit, immunoelectron microscopic localization, 41
Salditt-Georgieff, M., Sheffery, M., Krauter, K., Darnell, J. E., Jr, Rifkind, R. & Marks, P. A., Induced transcription of the mouse β-globin transcription unit in erythroleukemia cells. Time-course of induction and of changes in chromatin structure, 437
Sancar, A. & Sancar, G. B., *Escherichia coli* DNA photolyase is a flavoprotein, 223
Sancar, G. B. (see also Sancar, A.), 223
Schedl, P. (see also Udvardy, A.), 385
Schollmeier, K. (see also Hillen, W.), 185
Sea urchin actin gene subtypes. Gene number, linkage and evolution, 149
Self cleavage of a precursor RNA from bacteriophage T4, 301
Sequence, amino acid, of *Acanthamoeba* actin, 141
— analysis of *trp-lac* fusion deletions, 355
—, nucleotide, of the brome mosaic virus genome and its implications for viral replication, 369
Sequences, DNA, simple, of *Drosophila virilis* isolated by screening with RNA, 229
Sheffery, M., Marks, P. A. & Rifkind, R. A., Gene expression in murine erythroleukemia cells. Transcriptional control and chromatin structure of the α_1-globin gene, 417
— (see also Salditt-Georgieff, M.), 437
Shih, M.-C. & Gussin, G. N., Role of *c*II protein in stimulating transcription initiation at the λP_{RE} promoter. Enhanced formation and stabilization of open complexes, 489
Shott, R. J. (see also Lee, J. J.), 149
Sigma mutant allele *rpoD800*, effects on the synthesis of specific macromolecular components of the *Escherichia coli* K12 cell, 283
Simian virus 40 (see also Virus), 467
Sorbitol dehydrogenase, an unusual conformation of bound NAD^+; a time-dependent transferred nuclear Overhauser effect study, 559
Spinach 1,5-biphosphate carboxylase/oxygenase, large single crystals suitable for X-ray studies, 363
Stabilization steps for newly packaged DNA during phage P22 morphogenesis, 523
Sternglanz, R. (see also Friden, P.), 573
Strauss, H. & King, J., Steps in the stabilization of newly packaged DNA during phage P22 morphogenesis, 523
Structural features, conserved, are found upstream from the three co-ordinately regulated discoidin genes of *Dictyostelium discoideum*, 203
Structure, refined, of cytochrome c_3 at 1·8 Å resolution, 109

T4 (see also Bacteriophage), 301
Tautz, D. & Renz, M., Simple DNA sequences of *Drosophila virilis* isolated by screening with RNA, 229
Temperatures, low, and intercalating drugs inhibit synthesis and processing of ribosomal RNA in isolated human mitochondria, 451
tet operon regulatory region, interaction with RNA polymerase and TET repressor, 185
Tetracycline resistance operon, Tn*10*-encoded, control of expression; interaction of RNA polymerase and TET repressor with the *tet* operon regulatory region, 185
4-Thiouridine residue and covalent crosslinking of *Escherichia coli* phenylalanyl-tRNA and valyl-tRNA to the ribosomal A site *via* attached photoaffinity probes, 57
— — and crosslinking of phenylalanyl-tRNA to the ribosomal A site *via* attached photoaffinity probes; the crosslinking is exclusively to protein S19, 77
Thomas, T. L. (see also Lee, J. J.), 149

Thread-like molecules, localization of flexible sites from electron micrographs; comparison of interstitial, basement membrane and intima collagens, 325
Tight binding repressors, interaction with *lac* operators; an analysis by DNA-footprinting, 405
Time-dependent transferred nuclear Overhauser effect study; an unusual conformation of NAD^+ bound to sorbitol dehydrogenase, 559
Tn*10*-encoded tetracycline resistance operon, control of expression; interaction of RNA polymerase and TET repressor with the *tet* operon regulatory region, 185
Transcription, induced, of the mouse β-globin transcription unit in erythroleukemia cells; time-course of induction and of changes in chromatin structure, 437
— initiation stimulation at the λP_{RE} promoter, role of cII protein; enhanced formation and stabilization of open complexes, 489
—, SV40, late, control by the attenuation mechanism and transcriptionally active ternary complexes are associated with the nuclear matrix, 467
— termination signal, rho-dependent, in bacteriophage f1, 1
Transcriptional control and chromatin structure of the α_1-globin gene; expression in murine erythroleukemia cells, 417
Transfer RNA, A site bound, immunoelectron microscopic localization of the crosslinked S19 site on the 30 S ribosomal subunit, 41
— — crystals, electron microscopy; 4 Å resolution diffraction pattern and substantial stability to radiation damage, 347
— —, lysine, nucleotide substitution in the amino acid acceptor stem causes missense suppression, 177
Troponin C from turkey skeletal muscle, crystallographic data, 345
trp-lac fusion deletions, molecular cloning and sequence analysis, 355
Tsernoglou, D., Tucker, A. D. & Van der Vliet, P. C., Crystallization of a fragment of the adenovirus DNA binding protein, 237
Tucker, A. D. (see also Tsernoglou, D.), 237
Turkey skeletal muscle, crystallographic data for troponin C, 345

Udvardy, A. & Schedl, P., Chromatin organization of the 87A7 heat shock locus of *Drosophila melanogaster*, 385
Uyeda, N. (see also Fujiyoshi, Y.), 347

Valine and isoleucine enzymes, reduced expression in integration host factor mutants of *Escherichia coli*, 573
Valyl-tRNA and phenylalanyl-tRNA of *Escherichia coli*, covalent crosslinking to the ribosomal A site *via* photoaffinity probes attached to the 4-thiouridine residue, 57
Vandekerckhove, J., Lal, A. A. & Korn, E. D., Amino acid sequence of *Acanthamoeba* actin, 141
Van der Vliet, P. C. (see also Tsernoglou, D.), 237
Vecchini, P. (see also Chiancone, E.), 545
Verzili, D. (see also Chiancone, E.), 545
Virus, brome mosaic, nucleotide sequence of the genome and its implications for viral replication, 369
—, SV40, control of late transcription by the attenuation mechanism and transcriptionally active ternary complexes are associated with the nuclear matrix, 467
Voelkel, K. (see also Friden, P.), 573
Voss, T. (see also Hofmann, H.), 325

Walter, W. (see also Gross, G. A.), 283
Watson, N., Gurevitz, M., Ford, J. & Apirion, D., Self cleavage of a precursor RNA from bacteriophage T4, 301

Xenopus laevis, DNA binding protein from ovaries promotes concatenation of linear DNA, 87
Xian-Ming, Y., Munson, L. M. & Reznikoff, W. S., Molecular cloning and sequence analysis of *trp-lac* fusion deletions, 355
X-ray studies, suitable large single crystals of spinach 1,5-biphosphate carboxylase/oxygenase, 363

Yamagishi, H. (see also Fujiyoshi, Y.), 347
Yasuoka, N. (see also Higuchi, Y.), 109

Zinder, N. D. (see also Dotto, G. P.), 507